

CSC148 winter 2014

Introduction to computer science week 1

Danny Heap

heap@cs.toronto.edu

BA4270 (behind elevators)

<http://www.cdf.toronto.edu/~heap/148/W14/>

416-978-5899

January 8, 2014

Outline

Introduction

object-oriented design

What's CSC148 about?

- ▶ well first, CSC108 was about if statements, loops, function definitions and calls, lists, dictionaries, searching, sorting, classes, documentation style. So you've got all that down...
- ▶ ...otherwise, sign up for the CSC148 ramp-up session September 14th or 21st, 10-4
<http://www.cs.toronto.edu/~buske/rampup/>

But what's CSC148 about?

- ▶ how to understand and write a solution for a real-world problem
- ▶ abstract data types (ADTs) to represent and manipulate information
- ▶ recursion: clever functions that call themselves
- ▶ exceptions: how to deal with unexpected situations
- ▶ design: how to structure a program

How's this course run?

All answers in **course information sheet**. Spoiler alert: meaning of life is 42...

python infested by objects



Here are some built-in objects to fool around with:

```
>>> w1 = "words"  
>>> w2 = "swords"[1:]  
>>> w1 is w2  
False  
>>> import turtle  
>>> t = turtle.Turtle()  
>>> t.pos()  
(0.00,0.00)  
>>> t.forward(100)
```

vandalizing existing classes

this is **deeply wrong**, except for teaching purposes...

```
>>> from turtle import Turtle
>>> t1 = Turtle()
>>> t1.pos()
(0.00,0.00)
>>> t1.forward(100)
>>> t1.pos()
(100.00,0.00)
>>> t1.neck
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
AttributeError: 'Turtle' object has no attribute 'neck'
>>> Turtle.neck = "very reptilian"
>>> t1.neck
'very reptilian'
```

Design a new class

Somewhere in the real world there is a description of points in two-dimensional space:

In two dimensions, a point is two numbers (coordinates) that are treated collectively as a single object. Points are often written in parentheses with a comma separating the coordinates. For example, $(0, 0)$ represents the origin, and (x, y) represents the point x units to the right and y units up from the origin. Some of the typical operations that one associates with points might be calculating the distance of a point from the origin, or from another point, or finding a midpoint of two points, or asking if a point falls within a given rectangle or circle.

Find the most important noun (good candidate for a class...), its most important attributes, and operations that sort of noun should support.

build class Point...

in that **deeply wrong**, but informative, way

```
>>> from math import sqrt
>>> class Point(object):
...     pass
...
>>> def initialize(point, x, y):
...     point.x = x
...     point.y = y
...
>>> def distance(point):
...     return sqrt(point.x**2 + point.y**2)
...
>>> Point.__init__ = initialize
>>> Point.distance = distance
>>> p2 = Point(12, 5)
>>> p2.distance()
13.0
>>>
```

build class Point...

...properly!...

```
from math import sqrt

class Point(object):
    """n-dimensional point
    """

    # notice the function annotations below
    def __init__(self: "Point", coord: [float, ]) -> None:
        """Initialize this point
        >>> p = Point([3, 4])
        """
        # list comprehensions --- [<expression> for x in iterable]
        # may be something new to you
        self.coord = [float(x) for x in coord]

# and so on
```

equality

What makes two points equal? Write an `__eq__` method.

problems with attributes and access

What happens if we decide, **after** we've distributed an early version of **Point**, that we want to control access to **coord**? A bit of Python philosophy, and a trick called **property**